

Collar for plastic pipes CPE-S/ CPE-SL

The collar for fixing PE and PVC pipes.



Fixing of plastic pipes.

Applications

Support of plastic pipes.

Perks

CPE-SL (Narrow-Wide) collars have connection of the particular bosses that with a single code allow you to realize both the points Fix that sliding points. The collars for plastic pipes are

available with screw and dowel, with M10 or with gas connection. You can buy separately the sheath anti-vibration.

Certifications



Support materials

Concrete;
Full brick in brick;
Semi-filled brick (perforated vertically) in brick.

Operation

For CPE-S V drill, insert the dowel and expand it with double threaded screw. Screw the lock nut and collar. The collar CPE-SL M10 (without screw and dowel) can be fast installed on the fischer profile with the quick coupling FHS Clix or FHS Clix S. The CPE-S gas collar is connected with the Threaded tube 1/2" gas or 1" gas. For collars with narrow-wide functionality use the hammer on the plate to create a sliding point and the to create a fixed point.

Technical data

Collar for tubes CPE-SL V Narrow - Wide complete with screw and dowel.



Product	Ex Art.	Art.	Diameter inner collar [mm]	Dowel	Diameter foro [mm]	Depth foro min. [mm]	Length dowel [mm]	Double screw	Dimension sash [mm]	Envelope content	Packaging [Pz]
CPE-SL 40 V	507440	570190	40-43	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 40 V	50
CPE-SL 50 V	507441	570191	50-53	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 50 V	50
CPE-SL 63 V	507443	570192	63-66	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 63 V	50
CPE-SL 75 V	507444	570193	75-78	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 75 V	50
CPE-SL 90 V	507445	570194	90-93	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 90 V	25
CPE-SL 110 V	507446	570195	110 - 113	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 110 V	25
CPE-SL 125 V	507447	570196	125 - 128	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 125 V	25
CPE-SL 140 V	507448	570197	140 - 143	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 140 V	25
CPE-SL 160 V	507449	570198	160 - 163	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 Collar CPE-SL 160 V	25

Collar for tubes CPE-S V Narrow complete with screw and dowel.



Product	Ex Art.	Art.	Diameter inner collar [mm]	Dowel	Diameter foro [mm]	Depth foro min. [mm]	Length dowel [mm]	Double screw	Dimension sash [mm]	Envelope content	Packaging [Pz]
CPE-S 80 V	507481	570233	80	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 CPE-S 80 V	25
CPE-S 100 V	507482	570234	100	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 CPE-S 100 V	25
CPE-S 200 V light	507489	570235	200	SX Plus 12	12	80	60	M 10 x 100	30 x 2.5	1 CPE-S 200 V light	10
CPE-S 200 V	507483	570236	200	SX Plus 14	14	90	70	M 12 x 100	40 x 4	1 CPE-S 200 V	10
CPE-S 250 V	507484	570237	250	SX Plus 14	14	90	70	M 12 x 100	40 x 4	1 CPE-S 250 V	10
CPE-S 315 V	507485	570238	315	SX Plus 14	14	90	70	M 12 x 100	40 x 4	1 CPE-S 315 V	5

Collar for tubes CPE-SL Narrow - Wide.



Product	Art.	Inner collar diameter [mm]	Nut thread	Band size [mm]	Envelope content	Packaging [Pz]
CPE-SL 50	507462	50-53	M 10	30 x 2.5	1 Collar CPE-SL 50	50
CPE-SL 63	507464	63-66	M 10	30 x 2.5	1 Collar CPE-SL 63	50
CPE-SL 75	507465	75-78	M 10	30 x 2.5	1 Collar CPE-SL 75	50
CPE-SL 90	507466	90-93	M 10	30 x 2.5	1 Collar CPE-SL 90	25
CPE-SL 110	507467	110 - 113	M 10	30 x 2.5	1 Collar CPE-SL 110	25
CPE-SL 125	507468	125 - 128	M 10	30 x 2.5	1 Collar CPE-SL 125	25
CPE-SL 140	507469	140 - 143	M 10	30 x 2.5	1 Collar CPE-SL 140	25
CPE-SL 160	507470	160 - 163	M 10	30 x 2.5	1 Collar CPE-SL 160	25

Collar for CPE-SL gas pipes, Narrow - Wide gas connection.



Product	Art.	Inner collar diameter [mm]	Nut thread	Band size [mm]	Envelope content	Packaging [Pz]
CPE-SL 63 1/2" gas	507474	63-66	1/2" gas	30 x 2.5	1 Collar CPE-SL 63 1/2" gas	50
		75-78	1/2" gas	30 x 2.5	1 Collar CPE-SL 75 1/2" gas	50
CPE-SL 75 1/2" gas	507475	90-93	1/2" gas	30 x 2.5	1 Collar CPE-SL 90 1/2" gas	25
		110 - 113	1/2" gas	30 x 2.5	1 Collar CPE-SL 110 1/2" gas	25
CPE-SL 90 1/2" gas	507476	125 - 128	1/2" gas	30 x 2.5	1 collar CPE-SL 125 1/2" gas	25
		140 - 143	1/2" gas	30 x 2.5	1 Collar CPE-SL 140 1/2" gas	25
CPE-SL 110 1/2" gas	507477	160 - 163	1/2" gas	30 x 2.5	1 Collar CPE-SL 160 1/2" gas	25
		160 - 163	M 10	30 x 2.5	1 Collar CPE-SL 160	25
CPE-SL 125 1/2" gas	507478					
CPE-SL 140 1/2" gas	507479					
CPE-SL 160 1/2" gas	507480					
CPE-SL 160	507470					

1) Product available on request. Delivery times to be agreed with fischer staff.


Collar for CPE-S gas pipes, Tight gas connection.



Product	Art.
CPE-S 200 1" gas	507486

CPE-S 250 1" gas	507487				
CPE-S 315 1" gas	507488				
		Inner collar diameter [mm]	Nut thread	Band size [mm]	Envelope content
					Packaging [Pz]
		200	1" gas	40 x 4	1 Collar CPE-S 200 1" gas
		250	1" gas	40 x 4	1 Collar CPE-S 250 1" gas
		315	1" gas	40 x 4	1 Collar CPE-S 315 1" gas

1) Product available on request. Delivery times to be agreed with fischer staff.



Accessories

Flange GPR - GPS - LPG



Product	Art.	Thread	Length [mm]	Width B [mm]	Bore distance [mm]	Buttoned hole [mm]	Thickness [mm]	Packaging [Pz]
Circular								
flanges GPR	507135	M10	—	—	—	11 x 7	4	25
M10 GPR 1/2"	507136	1/2"	—	—	—	11 x 7	4	25
Rectangular flanges								
GPL M8	79665	M8	80	30	54	9 x 16	3	25
LPG M10	79666	M10	80	30	54	9 x 16	3	25
GPS M12	40398	M12	120	40	79	11 x 19	4	25
GPS M16	504408	M16	120	40	79	11 x 19	4	25
GPS 1/2"	79672	1/2"	120	40	79	11 x 19	4	25

Gas pipe G



Product	Art.	Thread	Length [mm]	Packaging [Pz]
G 1/2"	64093	1/2"	2000	10
G 1"	508295	1"	2000	5

GRD Reduction Sleeve For Sale



Product	Art.	Internal thread	External thread	Length [mm]	Packaging [Pz]
GRD 1/2" / M 10	77609	M 10	1/2"	10	100

Anti-vibration sheath for CPE collars



Product	Art.	Length [mm]	Breadth [mm]	Thickness [mm]	Packaging [Pz]
CPE sheath 30 x 3	507157	30	30	3	1
Sheath CPE 40 x 4	507158	10	40	4	1

1) Product available on request. Delivery times to be agreed with fischer staff.

